



REV	RELEASE/ECO#	COMMENTS	DRAWN BY	APPROVED BY	DATE

SOURCE	PART #
IKO Nippon Thompson Europe B.V. Im Gewerbepark D30 93059 Regensburg Tel.: 0941/ 20 60 7-0 http://www.ikont.co.jp/global_data/download/pdf_catalog/cat57148.pdf	LRX30 L=1840 schwarz beschich (LRX30 L=1840 black)
OR	APPROVED EQUIVALENT.

MACHINED HOLE TOLERANCES UNLESS OTHERWISE SPECIFIED:		GENERAL NOTES, UNLESS OTHERWISE SPECIFIED:		TITLE	
0.34 - 2.25	-.03 +.05	A) ALL DIMENSIONS APPLY AFTER FINISH. B) ALL DIMENSIONS ARE IN MILLIMETERS. C) REMOVE ALL BURRS AND SHARP EDGES .25 MAX. D) INTERPRET THIS DRAWING PER ANSI Y14.5M 1994.		Rail, Linear bearing	
2.3 - 4.7	-.05 +.08	TOLERANCES: X = ± 1 .X = ± .5 .XX = ± .25 .XXX = ± .120		SIZE D	
4.75 - 6.3	-.05 +.1	MAX MACHINE FINISH: 1.6 = ± .5 °		CAGE CODE -	
6.35 - 19.0	-.05 +.13	THIRD ANGLE PROJECTION		DWG NO. MWL.00.01.013	
19.5 - 25.4	-.10 +.13			REV 2	
MATERIAL STOCK	FINISH STOCK	THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION AND IS FURNISHED TO THE USER FROM TERADYNE, INC. USE OR REPRODUCTION OF THIS DOCUMENT IS RESTRICTED WITHOUT WRITTEN CONSENT FROM TERADYNE, INC.		SHEET 1 OF 1	
		SOLIDWORKS CAD DRAWING DO NOT SCALE DRAWING			